

DECLARATION OF COMPLIANCE

09/02/2016

CUSTOMER: To whom it may concern

1. DESCRIPTION OF MATERIALS AND ARTICLES

PE coated ice cream containers

F80

E125

E155

E250

E340

E500

SPE100

SPE14T

SPE140

SPE145

SPE146

SPE165

SPE170

SPE195

SPE200

SPE260

SPE310

SPE525

SPE635

PG ID: FIHU-A2KJRX ID: FIHU-A2KJRX0

2. INTENDED USES

Products listed above can be in contact with following food stuff:

Aqueous

Acidic

Dairy

Fatty

Dry

Alcohol < 6%

Fruits and Vegetables

Eggs

In following conditions of temperature and time*:

Frozen - refrigerated (20°C or below for any long time storage) Lukewarm (40°C or below for any long time storage**)

Hot-fill (Up to 70°C for up to 2 hours including 15 min up to 100°C)

* It is the obligation of the recipient of this declaration to ensure that the packaging is suitable for the








HUHTAMAKI SPAIN, S.L.

Ctra. Nal. 340, Km 955, Pol. Ind. Polar 1, 12520 Nules - Castellón, España Tel. +34 964 674 112, Fax +34 964 911 293

www.huhtamaki.com - www.foodservice.huhtamaki.com.es











aimed processing and downstream use circumstances.

**Covers also food contact conditions up to 70°C for up to 2 hours including 15 min up to 100°C

3. LEGISLATION

We confirm that the products listed in section 1 fulfill the requirements on products intended for use in contact with food as defined in:

- Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food and its amendments up to date of this statement
- Directive 94/62/EC on packaging and packaging waste and its amendments up to date regarding the threshold limit of 100 ppm by weight of heavy metals
- Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with food
- EuPIA Guideline on Printing Inks applied to the non-food contact surface of food packaging materials and articles
- Federal Institute for Risk Assessment BfR XXXVI, Paper and Board for food contact
- Regulation (EC) No 10/2011 on plastic materials and articles intended to come into contact with food and its amendments up to date of this document
- Swiss Ordinance SR 817.023.21 for Packaging Inks

4. MIGRATION

According to Regulation (EC) No 10/2011 materials and articles shall not transfer their constituents to foodstuffs in quantities exceeding 10 mg per 1 dm^2 of surface area of the packaging or 60 mg per 1 kg of foodstuff or food simulant (limiting value of the overall migration). The ratio of food contact surface area to volume used to establish the compliance of the article/s were $10 \text{ dm}^2/\text{ml}$.

Following migration tests were conducted:

SIMULANT TIME TEMPERATURE
Acetic acid 3 % 10 days 40°C
Ethanol 95 % 10 days 40°C
Isooctane 2 days 20°C

The products listed above may contain following substance/s with restriction/s:

The products listed above may contain following substance/s with restriction/s:

CAS: -

PMREF Number: -Substance: cobalt

Restriction (mg/kg): 0,05

CAS: -

PMREF Number: -Substance: manganese Restriction (mg/kg): 0,6







HUHTAMAKI SPAIN, S.L.

Ctra. Nal. 340, Km 955, Pol. Ind. Polar 1, 12520 Nules - Castellón, España Tel. +34 964 674 112, Fax +34 964 911 293 www.huhtamaki.com - www.foodservice.huhtamaki.com.es









CAS: 0000064-17-5 PMREF Number: 52800 Substance: ethanol Restriction (mg/kg): 60

5. DUAL USE SUBSTANCES

The products listed above may contain following dual use substances:

CAS: 128-37-0 E Number:

Substance: 2,6-di-tert-butyl-p-cresol

Restriction: unknown

6. TRACEABILITY

This can be done by referring to traceability by Licence Plate Number, Box Label, Order number.

This certificate is valid until there is substantial changes in the composition or production that bring about changes in the migration from the materials or articles or when new scientific data becomes available.

Huhtamaki Spain, S.L. Ctra.Nacional 340, km 955, Pol.Ind.Polar 1 12520 Nules (Castellón) Spain Puh: +34 964 674 112







HUHTAMAKI SPAIN, S.L.

Ctra. Nal. 340, Km 955, Pol. Ind. Polar 1, 12520 Nules - Castellón, España Tel. +34 964 674 112, Fax +34 964 911 293 www.huhtamaki.com - www.foodservice.huhtamaki.com.es





